

PGW
Gas Service Tariff
Pa. P.U.C. No. 2

Supplement No. 162

PHILADELPHIA GAS WORKS
GAS SERVICE TARIFF



Issued by: Seth Shapiro
President and CEO

PHILADELPHIA GAS WORKS
800 West Montgomery Avenue
Philadelphia, PA 19122

Rates to become effective May 1, 2023 in accordance with the Commission's Emergency Order dated April 28, 2023 at Docket No. P-2023-3040233 approving the Petition of Philadelphia Gas Works ("PGW") for Emergency Order, filed on April 27, 2023. A Ratification Order was issued on May 18, 2023 in the same docket.

List of Changes Made by this Tariff Supplement

TABLE OF CONTENTS (PAGE Nos. 6-7)

Updated to reflect revised page numbers for each of the changes listed below on this page

WEATHER NORMALIZATION ADJUSTMENT CLAUSE (PAGE Nos. 149-150)

The Weather Normalization Adjustment is updated to remove the month of May from the applicable period when the adjustment is applied to customer usage.

TABLE OF CONTENTS

	<u>Page Number</u>
List of Changes Made By This Tariff_____	One Hundred Fifty Third Revised 2
Description of Territory Served_____	5
Table of Contents_____	One Hundred Fifty Second Revised 6
Definitions_____	Second Revised 10
<u>RULES and REGULATIONS:</u>	
1. The Gas Service Tariff_____	First Revised 15
2. Application and Contract for Gas Service_____	Sixth Revised 17
3. Credit and Deposit_____	Third Revised 21
4. Billing and Payment_____	Second Revised 26
5. Termination and/or Discontinuance of Gas Service_____	Second Revised 30
6. Termination of Service for Safety Reasons and Curtailment of Service/ Service Continuity_____	First Revised 38
7. Inquiry, Review, Dispute, and Appeals Process_____	First Revised 41
8. Customer's Responsibility for Company's Property_____	First Revised 44
9. Conditions of Service, Point of Delivery, and Application of Rates_____	Third Revised 47
10. Extensions and Rights-Of-Way_____	First Revised 50
11. Meters: Measurements, Readings, Errors, and Tests_____	First Revised 53
12. Service Charges and Miscellaneous Fees and Provisions_____	Second Revised 57
13. Universal Service And Energy Conservation Programs_____	Second Revised 59
14. Gas Choice Enrollment and Switching_____	First Revised 63
15. Supplier of Last Resort_____	First Revised 63

	<u>Page Number</u>
RATES (Cover Page) _____	66
Gas Cost Rate _____	Ninety Fifth Revised 67
Revenue Reconciliation Adjustment (RAA) Rider _____	70
Senior Citizen Discount _____	First Revised 72
Exit Fee Rider _____	77
Merchant Function & Gas Procurement Charges; Price to Compare _____	Fifty Third Revised 78
Efficiency Cost Recovery Mechanism _____	Sixty Third Revised 80
Universal Services Surcharge _____	Ninety Eighth Revised 81
Other Post Employment Benefit Surcharge _____	Twenty First Revised 82
General Service – Rate GS _____	One Hundred Eleventh Revised 83
Municipal Service – Rate MS _____	One Hundred Eleventh Revised 87
Philadelphia Housing Authority Service – Rate PHA _____	One Hundred Eleventh Revised 90
Daily Balancing Service – Rate DB _____	101
Interruptible Transportation Service – Rate IT _____	111
Gas Transportation Service – Rate GTS – Firm Service _____	First Revised 118
Gas Transportation Service – Rate GTS – Interruptible _____	124
Cogeneration Service – Rate CG _____	Fifth Revised 131
Developmental Natural Gas Vehicle Service – Rate NGVS Firm Service _____	Seventy Ninth Revised 135
Developmental Natural Gas Vehicle Service – Rate NGVS Interruptible Service _____	139
SPECIAL PROVISION – Air Conditioning Rider _____	143
SPECIAL PROVISION – Compressed Natural Gas Rider _____	145
SPECIAL PROVISION – Emergency/Unauthorized Use Gas Rider _____	147
Weather Normalization Adjustment Clause _____	Eighth Revised 149
Distribution System Improvement Charge _____	Twenty Fourth Revised 151
Backup Service – Rate BUS _____	First Revised 154
Technology and Economic Development Rider and Micro-Combined Heat and Power Incentives _____	First Revised 155
Negotiated Liquefied Natural Gas Service – Rate LNG-N _____	First Revised 156

WEATHER NORMALIZATION ADJUSTMENT CLAUSE

Provision For Adjustment

The Weather Normalization Adjustment shall be applied to each Mcf (1,000 cubic feet) used for heating purposes under Rate Schedules GS, MS, and PHA (“heating” and “heating only” customers), except for Gas usage under the Special Provisions – Air Conditioning of those rates. The Weather Normalization Adjustment will be applied to customer usage during the period of October 1 through May 31 of each year for each billing cycle (except for the 2021-2022 and 2022-2023 heating seasons when the Weather Normalization Adjustment will exclude May 1 through May 31 to the extent that the application would produce a charge to the customer)). (C)

Computation of Weather Normalization Adjustment

The Weather Normalization Adjustment surcharge or credit shall be computed to the nearest one-hundredth cent (0.01cent) in accordance with the formulas set forth below:

$$HL = TU - (BL * BC)$$

$$WNA = DC * [(HL * \frac{NHDD +/- (NHDD * 1\%)}{AHDD}) - HL]$$

Definitions

TU – Total Usage for the billing cycle. TU measured in Mcf.

BL – base load Mcf per billing day is the number of Mcf per Customer used per day for non-heating purposes based on usage by Customers to which this adjustment applies. It is determined separately for each individual customer and will be revised annually to reflect the non-temperature sensitive usage of Customers to which the adjustment applies reflected in the prior heating season’s sales. If an individual customer base load is not available, the base load for the related customer class will be applied.

BC – billing cycle is the actual number of days shown on the bill that the Customer receives for service.

DC – Delivery Charge.

NHDD – normal heating degree days for any given calendar day within a month are based on the normal weather determination applied in the Company’s most recent base rate case, currently twenty years, as approved at Docket No. R-2017-2586783. The NHDD provided for in the formula are the total number of NHDD for the billing cycle. The degree day data is provided by the National Weather Service and measured at the Philadelphia International Airport.

AHDD – actual experienced heating degree days for the billing cycle. The degree day data is provided by the National Weather Service and measured at the Philadelphia International Airport.

Operation of Weather Normalization Adjustment

The Weather Normalization Adjustment will be applied to a Customer’s bill on a cents per Mcf basis when actual heating degree days vary from normal heating degree days during the period for which the Customer is billed. The Weather Normalization Adjustment will be applied to the Customer’s space

(C) - Change

heating consumption except for air conditioning usage billed under the air conditioning rate. The Weather Normalization Adjustment for a billing cycle will apply only if the actual heating degree days (AHDD) for the billing cycle are lower than 99 percent or higher than 101 percent of the normal heating degree days (NHDD) for the billing cycle and will only apply to the extent that the variation is lower than 99 percent or higher than 101 percent of the normal heating degree days for that billing cycle. A new weather adjustment will be calculated for each billing cycle.

Under the formulas, the Weather Normalization Adjustment surcharge or credit is calculated by:

- 1) Normal HDD are calculated for each day of the fiscal year based upon the normal weather determination applied in the Company's most recent base rate case, currently twenty years as approved at Docket No. R-2017-2586783.
- 2) At the start of the fiscal year, an average daily base load (non-heating) usage is calculated for each individual customer based upon actual base load usage.
- 3) The average daily base load (non-heating) amount is multiplied by the number of days in the billing cycle.
- 4) The total billing cycle base load amount is subtracted from the actual cycle usage of the customer in order to derive the usage applicable to heating.
- 5) The WNA factor is multiplied times the heating usage in order to derive the normalized heating usage.
 - a) The WNA factor is calculated by first adjusting the Normal HDD (NHDD) for the billing cycle by the deadband percentage (1 %). The deadband percentage is multiplied by the NHDD and then added to NHDD for the billing period when the weather is colder than normal (i.e., AHDD > NHDD) or subtracted from NHDD for the billing period when the weather is warmer than normal (i.e., AHDD < NHDD).
 - b) The adjusted NHDD are then divided by the AHDD.
- 6) The actual heating usage is subtracted from the normalized heating usage and then multiplied by the delivery charge. The result is a surcharge or credit.

Reporting Requirements

The Company will file all Weather Normalization Adjustments with the Commission on an annual basis. On or about January 10 of each year beginning in 2018, the Company shall submit an annual report for the most recent fiscal year ending August 31 detailing the actual charges or credits that resulted from the application of this clause and the actual number of heating degree days (HDDs).